



【NE07-RNS Feature】

- NE07-RNS realizes high speed wrapping with thicker wrapping films by new longsealer that makes the film run stably by itself without product inside.
- Two-flute type endsealer cutter is available for high speed wrapping.
- Updating electric devices enables program change by remote control and error history data output to USB stick.
- Improvement of handling printed film more precisely by an additional servo motor installed to film drive part.

【Models】

- | | | |
|----------------|----------------|----------------|
| ●NE07-410RNSUD | ●NE07-415RNSUD | ●NE07-618RNSUD |
| ●NE07-412RNSUD | ●NE07-615RNSUD | ●NE07-620RNSUD |

【Optional Items】

■Automatic film splicer

To glue the film and takes over the next film by detecting the end of film roll automatically.

Heat seal type : heat cut films by automatically.

■Web Controller

For stable longseal, detecting I-mark and minimizing web position errors. With automatic film splicer, productivity improves.

■BM (Box motion) type endsealer

This sealer unit enables sealing time longer and improves airtightness with its motion like a box.

■HM (Hermetic) type endsealer

Compared with box-motion type sealer, this endsealer improves more durability, space-saving, and is suitable for high-speed wrapping. And this sealer improves airtightness compared with rotary type one.

■Detection of jamming

To detect product jamming at longsealer and endsealer and eject jammed products.

For wrapping
instant
noodles.



■Adjust forming box

It gives an easy adjustment on height and width to products realizes wrapping various products without switching forming box.

■Cutter

Easy to open package, cut "I", "V" or "Wave" type slit on the edge of endseal.

■Extendable Conveyor

Tubing Conveyor and Discharge Conveyor slide together for products to be conveyed stably.

■Extendable Conveyor

Tubing Conveyor and Discharge Conveyor slide together for products to be conveyed stably.

■Printer

By choosing Inkjet, thermal or hot-roll printer depending on use, to print such as "manufacture date" or "best-before date". With printing inspection device, ink squeezeout and miss printing could be detected.

